

# STAS multirail max

## perfect gap-free ceiling connection



A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

## Features

Dimensions	11.3 x 38.3 mm
Length	200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, adjoining to ceiling
Weight capacity	45 kg/m <sup>1</sup>
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see next page.  
For matching accessories, see separate product sheet.



## Parts



**STAS multirail max white**  
VC10420 200 cm  
VC10430 300 cm



**STAS multirail max alu**  
VC30420 200 cm  
VC30430 300 cm



**STAS prorail max white**  
RM10415 150 cm  
RM10420 200 cm  
RM10430 300 cm  
rail without 12 V power supply insert



**STAS multirail max end cap white**  
VE10400



**STAS multirail max end cap alu**  
VE30400



**STAS multirail max corner cap white**  
VD20500



**STAS multirail max corner cap alu**  
VD30500



**STAS railclip**  
RD40100  
(metal, 3 per m<sup>2</sup>)



**STAS rail connector**  
RD40200  
(metal)



**STAS screw torx**  
SR30100



**STAS plug**  
SR50700



**STAS multirail conductor 12 V straight**  
VF50200



**STAS multirail conductor 12 V corner**  
VF50100

# STAS hooks and cords



After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.



## Cords



**STAS cobra with perlon cord**  
 CP10110 100 cm  
 CP10115 150 cm  
 CP10120 200 cm  
 CP10125 250 cm  
 CP10130 300 cm  
 CP10140 400 cm



**STAS cobra with steel cable**  
 SC10110 100 cm  
 SC10115 150 cm  
 SC10120 200 cm  
 SC10125 250 cm  
 SC10130 300 cm  
 SC10140 400 cm



**STAS cobra with steel cable white**  
 SC10220 200 cm

**STAS cobra with steel cable black**  
 SC20220 200 cm

## Hooks



**STAS smartspring**  
 HA30900



**STAS zipper**  
 HA30501



**STAS zipper pro**  
 HA30530

## Possible combinations



max.  
4 kg

**perlon cord + smartspring**



max.  
15 kg

**perlon cord + zipper or zipper pro**



max.  
20 kg

**steel cable + zipper or zipper pro**



max.  
10 kg

**steel cable white or black + zipper or zipper pro**

### **STAS products TÜV certified**

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



### **Important note regarding warranty and liability**

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.



### **STAS picture hanging systems**

Esp 245 | 5633 AD Eindhoven | PO box 1049 | 5602 BA Eindhoven | The Netherlands  
T +31 (0)40 292 48 48 | [info@stasgroup.com](mailto:info@stasgroup.com) | [www.stasgroup.com](http://www.stasgroup.com)